

SMALL TAGS

A complete selection for every requirement — permit tags — bathers tags — parking permits — licenses — checks — tokens — dog tags — nameplates — instruction plates — vending machines — furniture — machinery — inventory — tool checks — key chain — time and pay checks.



STYLE AA



STYLE AC



STYLE AE



STYLE AH



STYLE AI



STYLE AK



STYLE AL



STYLE AN



STYLE AS



STYLE AW



STYLE AY



STYLE B

401C



STYLE BB



STYLE BC




STYLE BF



STYLE BH



STYLE BI



STYLE BO



STYLE BP




STYLE BR



THE KEYES-DAVIS COMPANY

74 FOURTEENTH ST.
BATTLE CREEK, MICH.
269 / 962-7505



402e

TAGS SHOWN ACTUAL SIZE




STYLE DD




STYLE DE



STYLE DF



STYLE DG



STYLE DH



STYLE DI



STYLE DJ



STYLE DK



STYLE DL



STYLE DM



STYLE DN




STYLE DO



STYLE DP



STYLE DQ



STYLE DR



STYLE DS



STYLE DT



STYLE DV



STYLE DW



STYLE DX



STYLE EG



STYLE G




STYLE H



STYLE I

403 C



STANDARD FEATURES AND ACCESSORIES

All tag styles available with eyelets, attachment links, drive screws, adhesive backing, enamel-filled characters. Tags available with either 1 or 2 holes, 1/8" or 3/16" in diameter. Special hole size and locations available on request. All gauges, materials available. Standards for best delivery are: 18 and 20 gauge brass, aluminum, color anodized aluminum in red, gold, green, blue. Special designs and styles to order.

WHEN ORDERING — state style, quantity, hole size, material (type and gauge-color), text, layout and numbering, color if filled characters desired, any special instructions and extras.

PRINTED IN U.S.A.

SMALL TAGS

ADDITIONAL STYLES



STYLE AM



STYLE AP



STYLE AQ



STYLE AR



STYLE AU




STYLE BA



STYLE BJ



STYLE BM



STYLE BY



STYLE BZ



STYLE CZ



STYLE FC



STYLE FD



STYLE FG



STYLE FH



STYLE FT



STYLE FW



STYLE FX

405-A



THE KEYES-DAVIS COMPANY

74 FOURTEENTH ST.
BATTLE CREEK, MICH.
269 / 962-7505